



ORDER FORM FOR SPARE PARTS 45-076-14 V08 - 25.01.2024 - www.vs-moebel.de

Uno-M, Uno-M-Step.

Uno-M (Students' desks)

Skid table with frame with steel central upright and table top made from LIGNOdur or chipboard with PUR edge.

Uno-M with oval tube cross-piece (to Sep. 2005)

D= 50 cm: 02415^L, 02418^L

D= 65 cm: 02416, 02417, 02419^L, 02420

Uno-M with circular tube cross-piece (from Oct. 2005)

D= 50 cm: 02405^L, 02408^L

D= 60 cm: 02411^L, 02412^S, 02413^S

D= 65 cm: 02406, 02407, 02409^L, 02410

Uno-M-Step with circular tube cross-piece

D= 50 cm: 22405^L, 22408^L

D= 60 cm: 22411^L, 22412^S, 22413^S

D= 65 cm: 22406, 22407, 22409^L, 22410

Uno-M-Step with circular tube cross-piece for export

D= 50 cm: 22415^L, 22418^L

D= 65 cm: 22416, 22417, 22419^L, 22420, 22421

Note:

You can see which model your table is by the sticker on the underside of the table top (with order number/ AB number, model number and delivery week/LW).

DIN EN 1729 (Students' desks)

h = 520 ● Size class 2 h = 710 ● Size class 5

h = 590 ● Size class 3 h = 760 ● Size class 6

h = 640 ● Size class 4 h = 820 ● Size class 7

Please note the following markings:

L = Model with LIGNOdur top

S = Model with laminate-coated chipboard

blue = Model no longer available for delivery

ET0028

Short kick protection with plastic glide element (to Sep. 2005)

Length = approx. 22.0 cm, see ET0433, see below
for Uno-M (D= 50 cm) with oval tube cross-strut: 02415, 02418
Contents: 20 units (VS 62-127-65)



53.90

ET0029

Short kick protection with felt glide element (to Sep. 2005)

Length = approx. 22.0 cm, see ET0434, see below
for Uno-M (D= 50 cm) with oval tube cross-strut: 02415, 02418
Contents: 20 units (VS 62-264-65)



67.38

ET0030

Long kick protection with plastic glide element (to Sep. 2005)

Length = approx. 26.5 cm, see ET0435, see below
for Uno-M (D= 65 cm) with oval tube cross-strut: 02416, 02417, 02419, 02420
Contents: 20 units (VS 62-129-65)



53.90

ET0031

Long kick protection with felt glide element (to Sep. 2005)

Length = approx. 26.5 cm, see ET0436, see below
for Uno-M (D= 65 cm) with oval tube cross-strut: 02416, 02417, 02419, 02420
Contents: 20 units (VS 62-266-65)



67.38

ET0433

Short kick protection with plastic glide element (from Oct. 2005)

Length = approx. 22.0 cm, see ET0028, see above
for Uno-M (D= 50 cm) with circular tube cross-strut: 02405, 02408
for Uno-M-Step (D= 50 cm): 22405, 22408, 22415, 22418
Contents: 20 units (VS 48-180-65)



53.90

ET0434

Short kick protection with felt glide element (from Oct. 2005)

Length = approx. 22.0 cm, see ET0029, see above
for Uno-M (D= 50 cm) with circular tube cross-strut: 02405, 02408
for Uno-M-Step (D= 50 cm): 22405, 22408, 22415, 22418
Contents: 20 units (VS 48-181-65)



67.38

ET0442

Short kick protection with 2-component glide element (from Oct. 2005)

Length = approx. 22.0 cm
for Uno-M (D= 50 cm) with circular tube cross-strut: 02405, 02408
for Uno-M-Step (D= 50 cm): 22405, 22408, 22415, 22418
Contents: 20 units (VS 48-241-65)



70.00

ET0435

Long kick protection with plastic glide element (from Oct. 2005)

Length = approx. 26.5 cm, see ET0030, see above
for Uno-M (D= 60/65 cm) with circular tube cross-strut: 02406, 02407, 02409, 02410, 02411, 02412, 02413
for Uno-M-Step (D= 60/65 cm): 22406, 22407, 22409, 22410, 22411, 22412, 22413, 22416, 22417, 22419, 22420, 22421
Contents: 20 units (VS 48-182-65)



53.90

ET0436

Long kick protection with felt glide element (from Oct. 2005)

Length = approx. 26.5 cm, see ET0031, see above

for Uno-M (D= 60/65 cm) with circular tube cross-strut: 02406, 02407, 02409, 02410, 02411, 02412, 02413

for Uno-M-Step (D= 60/65 cm): 22406, 22407, 22409, 22410, 22411, 22412, 22413, 22416, 22417, 22419, 22420, 22421

Contents: 20 units (VS 48-183-65)



67.38

ET0443

Long kick protection with 2-com. glide element (from Oct. 2005)

Length = approx. 26.5 cm

for Uno-M (D= 60/65 cm) with circular tube cross-strut: 02406, 02407, 02409, 02410, 02411, 02412, 02413

for Uno-M-Step (D= 60/65 cm): 22406, 22407, 22409, 22410, 22411, 22412, 22413, 22416, 22417, 22419, 22420, 22421

Contents: 20 units (VS 48-242-65)



70.00

ET0446

Desktop support for LIGNOdur/chipboard (to Sep. 2005)

for Uno-M (two-seater) with oval tube cross-strut: 02408, 02409, 02415, 02416, 02417

Contents: 5 sets, each in the height 44/47 mm, with fixing material



7.85

ET0447

Short desktop support for LIGNOdur (from Oct. 2005)

for Uno-M with circular tube cross-strut: 02405, 02408, 02409

for Uno-M-Step: 22405, 22408, 22409

Contents: 5 sets, each in the height 59/61 mm, with fixing material



7.85

ET0447

Short desktop support for chipboard (from Jan. 2013)

for Uno-M with circular tube cross-strut: 02406, 02407, 02410, 02413

for Uno-M-Step: 22406, 22407, 22410, 22413

Contents: 5 sets, each in the height 59/61 mm, with fixing material



ET0448

Long desktop support for chipboard (from Oct. 2005 to Dec. 2012)

for Uno-M with circular tube cross-strut: 02406 02407 02410 02413

for Uno-M-Step: 22406, 22407, 22410, 22413

Contents: 5 sets, each in the height 62/64 mm, with fixing material



7.85

ET0625

Plastic plug (ø 13 mm), black

for all Uno-M and Uno-M-Step models

for covering the drill hole in the cross-frame

Contents: 10 units



6.124

ET0033

Storage basket set with angled back

for all Uno-M and Uno-M-Step models

Contents: 2 units, with fixing material for LIGNOdur tops and chipboard



25.52

ET0032

Satchel hook

for all Uno-M and Uno-M-Step models

Contents: 4 unit, with fixing material



19.89

ET1012

Chair suspension short for size 2-3-4-5-6-7 (from October 2021)

for Uno-M: (D= 50cm): 02405, 02408

for Uno-M-Step: (D= 50cm): 22405, 22408

for Students' chairs of all sizes: JUMPER Air/Ply Move, JUMPER Air/Ply Active, JUMPER Air/Ply Four, PantoMove-LuPo/-VF, PantoSwing-LuPo/-VF, Compass-LuPo/-VF, NF-Move, NF-Compass, NF-Swing

Contents: 2 units, with fixing material

40.29



ET1014

Chair suspension medium for size 2-3-4-5-6-7 (from October 2021)

for Uno-M: (D= 60cm): 02411, 02412, 02413

for Uno-M-Step: (D= 60cm): 22411, 22412, 22413

for Students' chairs of all sizes: JUMPER Air/Ply Move, JUMPER Air/Ply Active, JUMPER Air/Ply Four, PantoMove-LuPo/-VF, PantoSwing-LuPo/-VF, Compass-LuPo/-VF, NF-Move, NF-Compass, NF-Swing

Contents: 2 units, with fixing material

40.29



ET1013

Chair suspension long for size 2-3-4-5-6-7 (from October 2021)

for Uno-M: (D= 65cm): 02406, 02407, 02409, 02410

for Uno-M-Step: (D= 65cm): 22406, 22407, 22409, 22410

for Students' chairs of all sizes: JUMPER Air/Ply Move, JUMPER Air/Ply Active, JUMPER Air/Ply Four, PantoMove-LuPo/-VF, PantoSwing-LuPo/-VF, Compass-LuPo/-VF, NF-Move, NF-Compass, NF-Swing

Contents: 2 units, with fixing material

40.29




ET0450

PantoMove-LuPo suspension rail for chipboard desktop (25 mm)

for all models with pre-drilled chipboard desktop

Contents: 1 unit (two-part), with fixing material

23.68




ET0796

PantoMove-LuPo suspension rail for LIGNOdur desktop (16 mm)

for all models with pre-drilled LIGNOdur desktop

Contents: 1 unit (two-part), with fixing material

23.68



ET0848

Universal suspension rail for chipboard desktop (25 mm)

for all models with pre-drilled chipboard desktop

for Students' chairs of all sizes: LuPoGlide, LuPoGlide-Comfort, BasicGlide, BasicGlide-Comfort, LuPoTurn, LuPoTurn-XL, BasicTurn, BasicTurn-XL, JUMPER Air Move, PantoMove-LuPo, NF-Move

Contents: 1 unit (two-part), with fixing material

23.68



ET0797

Universal suspension rail for LIGNOdur desktop (16 mm)

for all models with pre-drilled LIGNOdur desktops

for Students' chairs of all sizes: LuPoGlide, LuPoGlide-Comfort, BasicGlide, BasicGlide-Comfort, LuPoTurn, LuPoTurn-XL, BasicTurn, BasicTurn-XL, JUMPER Air Move, PantoMove-LuPo, NF-Move

Contents: 1 unit (two-part), with fixing material

23.68



ET0883

Desktop: LIGNOdur WxD 130 x 50 cm

for Uno-M (D= 50 cm): 02405, 02415

for Uno-M-Step (D= 50 cm): 22405, 22415

Materials/finishes, see Annex

65.92



ET0879

Desktop: LIGNOdur WxD 70 x 50 cm

for Uno-M (D= 50 cm): 02408, 2418

for Uno-M-Step (D= 50 cm): 22408, 22418

Materials/finishes, see Annex

48.11



ET0881

Desktop: LIGNOdur WxD 75 x 65 cm

for Uno-M (D= 65 cm): 02409, 02419

for Uno-M-Step (D= 65 cm): 22409, 22419

Materials/finishes, see Annex

49.78



ET0884

Desktop: Chipboard with PUR edge WxD 130 x 65 cm

for Uno-M (D= 65 cm): 02406, 02416

for Uno-M-Step (D= 65 cm): 22406, 22416

Materials/finishes, see Annex, edge: beige, grey, black

93.39



ET0885

Desktop: Chipboard with PUR edge WxD 150 x 65 cm

for Uno-M (D= 65 cm): 02407, 02417

for Uno-M-Step (D= 65 cm): 22407, 22417

Materials/finishes, see Annex, edge: beige, grey, black

103.04



ET0880

Desktop: Chipboard with PUR edge WxD 75 x 65 cm

for Uno-M (D= 65 cm): 02410, 02420

for Uno-M-Step (D= 65 cm): 22419, 22420

Materials/finishes, see Annex, edge: beige, grey, black

75.58



ET0559

Desktop fixing set for LIGNOdur

for Uno-M: 02405, 02408, 02409, 02411, 02415, 02418, 02419

for Uno-M-Step: 22405, 22408, 22409, 22411, 22415, 22418, 22419, 22421

Contents: 5 sets suitable for 5 tables (20x screws M 6.3 mm x 15.5 mm)

6.24



ET0204

Desktop fixing set for chipboard

for Uno-M: 02406, 02407, 02410, 02412, 02413, 02416, 02417, 02420

for Uno-M-Step: 22406, 22407, 22410, 22412, 22413, 22416, 22417, 22420

Contents: 2x4 units (chipboard screw LK 6.0x24 ZN / LK 6.0x32 ZN)

1.32



ET0688

Height-adjustment set for Uno-M-Step

for Uno-M-Step: 22405, 22406, 22407, 22408, 22409, 22410, 22411, 22412,

22413, 22415, 22416, 22417, 22418, 22419, 22420, 22421

Contents: 5 sets suitable for 5 tables (20x threaded bolt and 40x nutsleeve)

18.70



78-251-00

Allen key, size 5 for height adjustment of Uno-M-Step

for Uno-M-Step: 22405, 22406, 22407, 22408, 22409, 22410, 22411, 22412,

22413, 22415, 22416, 22417, 22418, 22419, 22420, 22421

Contents: 1 unit

3.55



Desktop surfaces:

LIGNOdur

Chipboard-PUR



027 natural beech laminate



028 natural maple laminate



031 grey white



035 andes grey



027 natural beech laminate




028 natural maple laminate



031 grey white



035 andes grey



328 white